

## AMENDMENTS TO THE CLAIMS

1. (Currently amended) A process for producing crosslinked, singulated pulp fibers comprising:

introducing a never-dried wet pulp that has not been subjected to mechanical defibering and air into a jet drier;

treating said wet pulp with a crosslinker;

thereafter drying said pulp in said jet drier to form singulated pulp fibers; and

removing said pulp from said jet drier and separating said dried pulp fibers from said air in said jet drier.

2. (Original) The process of Claim 1, wherein said crosslinker is selected from the group consisting of polyacrylic acid, glyoxal, malic acid, and tartaric acid.

3. (Original) The process of Claim 1, wherein said treatment substance is mixed with said wet pulp before introducing said wet pulp into said drier.

4. (Original) The process of Claim 1, wherein said wet pulp is at least partially dewatered prior to introducing said pulp into said drier.

5. (Original) The process of Claim 1, wherein said wet pulp is further treated with a treatment substance to reduce the knot content of said pulp fibers, selected from the group consisting of a surfactant and a mineral particulate.

6. (Original) The process of Claim 5, wherein said treatment substance is a mineral particulate.

7. (Original) The process of Claim 5, wherein said treatment substance is a surfactant.

8. (Currently amended) The process of Claim 1, wherein said wet pulp is further treated with a substance selected from the group consisting of a hydrophobic material, a superplasticizer, a foam, a surfactant ~~caused to~~ and a water reducing agent.

LAW OFFICES OF  
CHRISTENSEN O'CONNOR JOHNSON KINDNESS<sup>LLC</sup>  
1420 Fifth Avenue  
Suite 2800  
Seattle, Washington 98101  
206.682.8100

9. (Currently amended) The process of Claim 1, wherein the knot count of said dried pulp fibers is less than 15%.

10. (Currently amended) The process of Claim 9, wherein the knot count of said dried pulp fibers is less than 10%.

11. (Currently amended) The process of Claim 9, wherein the knot count of said dried pulp fibers is less than 5%.

12. (Currently amended) The process of Claim 9, wherein the knot count of said dried pulp fibers is less than 2%.

13. (Currently amended) The process of Claim 5, wherein said dried pulp fibers have a knot count less than 15%.

14. (Currently amended) The process of Claim 13, wherein said dried pulp fibers have a knot count less than 10%.

15. (Currently amended) The process of Claim 13, wherein said dried pulp fibers have a knot count less than 5%.

16. (Currently amended) The process of Claim 13, wherein said dried pulp fibers have a knot count less than 2%.

17. (Currently amended) The process of Claim 1, wherein the [[knots]] knot count of said dried pulp fibers is less than or equal to 5%, the accepts in said dried pulp fibers are greater than or equal to 80%, and the fines in said dried pulp fibers are less than or equal to 15%.

18. (Currently amended) The process of Claim 1, wherein the [[knots]] knot count of said dried pulp fibers is less than or equal to 5%, the accepts in said dried pulp fibers are greater than or equal to 80%, and the fines in said dried pulp fibers are less than or equal to 13%.

19. (Currently amended) The process of Claim 1, wherein the [[knots]] knot count of said dried pulp fibers is less than or equal to 5%, the accepts in said dried pulp fibers are greater than or equal to 85%, and the fines in said dried pulp fibers are less than or equal to 15%.

20. (Currently amended) The process of Claim 1, wherein the ~~[[knots]]~~ knot count of said dried pulp fibers is less than or equal to 2%, the accepts in said dried pulp fibers are greater than or equal to 80%, and the fines in said dried pulp fibers are less than or equal to 15%.

21. (Currently amended) The process of Claim 6, wherein the ~~[[knots]]~~ knot count of said dried pulp fibers are less than or equal to 2%, the accepts in said dried pulp fibers are greater than or equal to 77%, and the fines in said dried pulp fibers are less than or equal to 21%.

22. (Currently amended) The process of Claim 7, wherein the ~~[[knots]]~~ knot count of said dried pulp fibers are less than or equal to 5%, the accepts in said dried pulp fibers are greater than or equal to 80%, and the fines in said dried pulp fibers are less than or equal to 15%.

23. (Currently amended) The process of Claim 7, wherein the ~~[[knots]]~~ knot count of said dried pulp fibers is less than or equal to 5%, the accepts in said dried pulp fibers are greater than or equal to 80%, and the fines in said dried pulp fibers are less than or equal to 13%.

24. (Currently amended) The process of Claim 7, wherein the ~~[[knots]]~~ knot count of said dried pulp fibers is less than or equal to 5%, the accepts in said dried pulp fibers are greater than or equal to 85%, and the fines in said dried pulp fibers are less than or equal to 15%.

25. (Currently amended) The process of Claim 7, wherein the ~~[[knots]]~~ knot count of said dried pulp fibers is less than or equal to 2%, the accepts in said dried pulp fibers are greater than or equal to 80%, and the fines in said dried pulp fibers are less than or equal to 15%.

26. (Original) The process of Claim 1, wherein said supply pulp has a consistency of from 0.01% to 10% before introduction into said jet drier.

27. (Original) The process of Claim 26, wherein said supply pulp has a consistency of from 3% to 10% before introduction into said drier.

28. (Currently amended) The process of Claim 1, wherein said singulated pulp is dried to a moisture content of ~~less than~~ 2 percent to 10 percent by weight.

29–38. (Canceled)

LAW OFFICES OF  
CHRISTENSEN O'CONNOR JOHNSON KINDNESS<sup>LLC</sup>  
1420 Fifth Avenue  
Suite 2800  
Seattle, Washington 98101  
206.682.8100

39. (Original) Singulated pulp fibers produced by the process as in Claim 1.

LAW OFFICES OF  
CHRISTENSEN O'CONNOR JOHNSON KINDNESS<sup>LLC</sup>  
1420 Fifth Avenue  
Suite 2800  
Seattle, Washington 98101  
206.682.8100